

PUBLICATION LIST

1. Takao Sekiya and Tyunosin Ukita.
Some attempts on substitution of 2'-position of uridine with thiol group
Chem. Pharm. Bull. (Tokyo) 15, 1498-1967
2. Takao Sekiya and Tyunosin Ukita.
Synthesis of 2'-deoxy-2'-thio-3'-aminouridine
Chem. Pharm. Bull. (Tokyo) 15, 503-1507-1967
3. Takao Sekiya, Yasuhiro Fruichi, Mitsuaki Yoshida and Tyunosin Ukita.
Ribonuclease T1-catalyzed synthesis triribonucleoside diphosphates having
guanosine residue at 5'-end
J. Biochem. (Tokyo) 63, 514-520 (1969)
4. Takao Sekiya, Mitsuaki Yoshida and Tyunosin Ukita.
Effect of trinucleoside diphosphates inosine at the 3'-end upon the binding of
aminoacyl-tRNA to ribosomes
J. Biochem. 63, 514-520 (1968)
5. Hiroshi Nishimura, Takao Sekiya and Tyunosin Ukita.
The chemical synthesis and coding properties of adenylyl-guanosine and
guanylyl-adenylyl-adenosine having possible combination of 2'-5' and 3'-5'
internucleotide linkages
Biochem. Biophys. Acta. 174, 653-662 (1969)
6. Takao Sekiya, Keiichi Takeishi and Tyunosin Ukita.
Specificity of yeast glutamic acid transfer RNA for codon recognition
Biochem. Biophys. Acta. 182, 411-426 (1969)
7. Keiichi Takeishi, Takao Sekiya and Tyunosin Ukita.
Selective utilization of nonformylatable species methionyl-tRNA's from *Escherichia coli* and
yeast in a reticulocytes cell-free system
Biochem. Biophys. Acta. 199, 559-561 (1970)
8. Mitsuo Saito, Keiichi Takeishi, Takao Sekiya, Susumu Nishimura and Tyunosin Ukita.
Transfer of tyrosine into rabbit globin chain from two *E. coli* tyrosyl-tRNA species
Biochem. Biophys. Res. Commun. 45, 369-375 (1971)
9. Takao Sekiya and Kin-ichiro Oda.
The altered patterns of transfer RNA in SV40 infected and transformed cells
Virology 47, 168-180 (1972)

10. Peter C. Loewen, Takao Sekiya and H. Gobind Khorana.
The nucleotide sequence adjoining the CCA-end of an Escherichia coli tyrosine tRNA gene
J. Biol. Chem. 249, 217-226(1974)
11. Takao Sekiya and H. Gobind Khorana.
Nucleotide sequence in the promoter region of the Escherichia coli tyrosine tRNA gene
Proc. Natl. Acad. Sci. USA 71, 2978-2982 (1974)
12. Takao Sekiya, Hans van Ormondt and H. Gobind Khorana.
The nucleotide sequence in the promoter region of the gene for an Escherichia coli tyrosine tRNA
J. Biol. Chem. 250, 1087-1098 (1975)
13. H. Gobind Khorana, Kan L. Agarwal, Peter Besmer, Henry Bŷchi, Marvin H. Caruthers, Peter J. Cashion, Mati Fridkin, Ernest Jay, Kjell Kleppe, Ashok Kumar, Peter C. Loewen, Robert C. Miller, Katsumaro Minato, Amos Panet, Uttam L. RajBhandary, Belagaje Ramanoorthy, Takao Sekiya, Tatsuo Takeya and J. Hans von de Sande.
Total synthesis of the structure gene for the precursor for tyrosine suppressor transfer RNA from Escherichia coli. 1. general introduction
J. Biol. Chem. 251, 565-570 (1976)
14. Takao Sekiya, Peter Besmer, Tatsuo Takeya and H. Gobind Khorana.
Total synthesis of the structure gene for the precursor for tyrosine suppressor transfer RNA from Escherichia coli. 7. Enzymatic joining of the chemically synthesized to form a DNA duplex corresponding to the nucleotide sequence 1-26
J. Biol. Chem. 251, 634-641 (1976)
15. Peter C. Loewen, Robert C. Miller, Amos Panet, Takao Sekiya and H. Gobind Khorana.
Total synthesis of the structure gene for the precursor for tyrosine suppressor transfer RNA from Escherichia coli. 8. Enzymatic joining of the chemically synthesized segments to from DNA deplexes corresponding to nucleotide sequences 23-60
J. Biol. Chem. 251, 642-650 (1976)
16. Ruth Kleppe, Takao Sekiya, Peter C. Loewen, Kjell Kleppe, Kan L. Agarwal, Henry Bŷchi, Peter Besmer, Maryin H. Caruthers, Peter J. Cashion, Mati Fridkin, Ernest Jay, Ashok Kumar, Robert C. Miller, Katsumaro Minamoto, Amos Panet, U. L. RajiBandary, Belagaje Ramanoothy, Nina Sidorova, Tatsuo Takeya, J. Hans van de Sande, and H. Gobind Khorana.
Total synthesis of the structure gene for the precursor for tyrosine suppressor transfer RNA from Escherichia coli. 11. Enzymatic joining to from the total DNA duplex
J Biol. Chem. 251, 667-675 (1976)

17. Takao Sekiya, Tatsuo Takeya, Roland Contreras, Hans Küpper, H. Gobind Khorana, and Arthur Landy.
Nucleotide sequences at the two end of the E. coli. Tyrosine tRNA and studies on the promoter
RNA polymerase (Cold Spring Harbor Lab.) p455-472 (1976)
18. Takao Sekiya, Michael J. Gait, Kjeld Norris, Belagaje Ramamoorthy, and H. Gobind Khorana.
The nucleotide sequence in the promoter region of the gene for an E. coli tyrosine transfer RNA
J. Biol. Chem. 251, 4481-4489 (1976)
19. Takao Sekiya, Roland Contreras, Hans Küpper, Arthur Landy and H. Gobind Khorana.
Escherichia coli tyrosine transfer RNA genes. Nucleotide Sequences of their promoter and of the region adjoining CCA-ends
J. Biol. Chem. 251, 5124-5140 (1976)
20. Hans Küpper, Takao Sekiya, Martin Rosenbarg, James Eaman and Arthur Landy.
A r-dependent termination site in the gene coding for tyrosine tRNA^{su3} of Escherichia coli
Nature 272, 423-428 (1978)
21. Takao Sekiya and Susumu Nishimura.
Sequence of the gene for isoleucine tRNA and the surrounding region in a ribosomal RNA operon of Escherichia coli
Nucl. Acids Res. 6, 575-592 (1979)
22. Takao Sekiya, Eugene L. Brown, Ramamoorthy Beragaje, Hans-Joachim Fritz, Michael J. Gait, Robert G. Lees, Michael J. Ryan, H. Gobind Khorana
Total synthesis of a tyrosine suppressor tRNA gene (15): Synthesis of the promoter region
J. Biol. Chem. 254, 5781-5786 (1979)
23. Takao Sekiya, Tatsuo Takeya, Eugene L/ Brown, Ramamoorthy Belagaje, Roland Contreras, Hans Joachim Fritz, Michael J. Gait, Robert G. Lees, Michael J. Ryan, H. Gobind Khorana, and Kjeld E. Norris.
Total synthesis of a tyrosine suppressor tRNA gene (16): Enzymatic joinings to form the total 208 base-pair long DNA.
J. Biol. Chem. 254, 5787-5801

24. Takao Sekiya, Roland Contreas, Tatsuo Takeya and H. Gobind Khorana.
Total synthesis of a tyrosine suppressor tRNA gene (17): Transcription, in vitro, of the synthetic gene and processing of the primary transcript to transfer RNA
J. Biol. Chem. 254, 5802-5816 (1979)
25. Michael J. Ryan, Eugene L. Brown, Takao Sekiya, Hans Küpper,
and H. Gobind Khorana.
Total synthesis of tyrosine suppressor tRNA gene (18): Biological activity and transcription, in vitro, of the cloned gene.
J. Biol. Chem. 254, 5817-5826 (1979)
26. K. Koike, M. Kobayashi and T. Sekiya
Cloning and Characterization of the replication origin from rat mitochondrial DNA
Cold Spring Harbor Symp. Quant. Biol. XLIII, 193-201 (1979)
27. Takao Sekiya and Susumu Nishimura.
Studies on the structure of tRNA gene in Escherichia coli.
In "RNA polymerase, tRNA and Ribosomes: (Ed. Syozo Ozawa, Haruo Ozaki,
Hisao Uchida and Takashi Yura, Univ. of Tokyo Press) p. 209-233 (1980)
28. Takao Sekiya, Midori Mori, Nozomi Takahashi and Susumu Nishimura.
Sequence of the distal tRNA^{Asp} gene the transcription termination signal in the Escherichia coli. ribosomal RNA operon rrnF(or G)
Nucl. Acids Res. 8, 3809-3823 (1980)
29. Takao Sekiya, Midori Kobayashi, Tetsunori Seki and Katsuro Koike.
Nucleotide sequence of a cloned fragment of rat mitochondrial DNA containing the replication origin
Gene 11, 53-62 (1980)
30. Takao Sekiya, Yoshiyuki Kuchino and Susumu Nishimura.
Mamalian tRNA gene: Nucleotide sequence of rat genes for tRNA^{Asp}, tRNA^{Gly} and tRNA^{Glu}.
Nucl. Acids Res. 9, 2239-2250 (1981)
31. Hiroshi Kanazawa, Kazunori Mabuchi, Toshiaki Kayano, Takato Noumi, Takao Sekiya,
and Masamitsu Futai.
Nucleotide sequence of the genes for Fo components of the proton-translocating ATPase from Escherichia coli: Prediction of the primary structure of subunits
Biochem. Biophys. Res. Commun. 103, 613-620 (1981)

32. Hiroyasu Esumi, Yuri Takahashi, Takao Sekiya, Shigeaki Sato, Sumi Nagase,
and Takashi Sugimura
Presence of albumin mRNA precursors in nuclei of analbuminemic rat liver lacking
cytoplasmic albumin mRNA
Proc. Natl. Acad. Sci. USA 79, 743-738 (1982)
33. Akio Nomoto, Haruka Toyoda, Nobumasa Imura, Shigeru Noguchi and Takao Sekiya.
Restriction map of double-strand DNA copy synthesized from poliovirus Sabin 1 RNA
J. Biochem. 91, 1593-1600 (1982)
34. Kyoko Shibuya, Shigeru Noguchi, Susumu Nishimura and Takao Sekiya.
Characterization of a rat tRNA gene cluster containing for tRNA^{Asp}, tRNA^{Gly}, and
tRNA^{Glu}, and pseudogenes
Nucl. Acids. Res. 10, 4441-4448 (1982)
35. Takao Sekiya, Rei Nishizawa, Kazuo Matsuda, Youichi Taya and Susumu Nishimura.
A rat tRNA gene cluster containing the gene for tRNA^{Pro} and tRNA^{Lys}. Analysis of
nucleotide sequences of the genes and the surrounding regions
Nucl. Acids. Res. 10, 6411-6419 (1982)
36. Takao Sekiya, Shigeru Noguchi, Kyoko Shibuya, Yoshiyuki Kuchino,
and Susumu Nishimura.
Characterization of a rat tRNA gene cluster containing the genes for tRNA^{Asp}, tRNA^{Gly}
and tRNA and pseudo genes
In proc. Cancer Res. Fund, "Primary and Tertiary Structure of Nucleic Acids and Cancer
Research" Ed. M. Miwa, S. Nishimura, A. Rich, D. G. Sill and T. Sugimura. Vol. 12, p.53
(1982)
37. Mariko Ohsumi, Takao Sekiya, Susumu Nishimura and Misao Ohki.
Nucleotide sequence of the regulatory region of the malB operons in Escherichia coli
J. Biochem. 94, 243-247 (1983)
38. Takao Sekiy, Setsuo Hirohashi, Susumu Nishimura and Takashi Sugimura.
Transforming activity of human melanoma DNA
GANN, 74, 794-797 (1983)
39. Michiko M. Nakano, Hiroshi Ogawara and Takao Sekiya.
Recombination between short direct repeats in Streptomyces lavendulae plasmid DNA
J. Bact. 157, 658-660 (1984)

40. Takao Sekiya, Masako Fushimi, Hiroshige Hori, Setsuo Hirohashi, Susumu Nishimura, and Takashi Sugimura.
Molecular cloning and the total nucleotide sequence of the human c-Ha-ras-1 gene activated in a melanoma from a Japanese patient
Proc. Natl. Acad. Sci. USA 81, 4771-4775 (1984) Yoichi Taya, Kazuyuki Hosogai, Setsuo Hirohashi, Yukio Shimosato, Ryosuke Tsuchiya
41. Youichi Taya, Kazuyuki Hosogai, Setsuo Hirohashi, Yukio Shimosato, Ryosuke Tsuchiya, Nobuo Tsuchida, Masako Fushimi, Takao Sekiya and Susumu Nishimura.
Novel combination of K-ras and myc amplification accompanied by point mutational activation of K-ras in a human lung cancer
EMBO J. 3, 2943-2946 (1984)
42. Takao Sekiya, Masako Fushimi, Setsuo Hirohashi and Akihiro Tokunaga.
Amplification of activated c-Ha-ras-1 in human melanoma
Jpn. J. Cancer Res. (Gann) 76, 555-558 (1985)
43. Takao Sekiya, Akihiro Tokunaga and Masako Fushimi.
Essential region for transforming activity of human c-Ha-ras-1
Jpn. J. Cancer Res. (Gann) 76, 787-791 (1985)
44. Takao Sekiya, Vladimir S. Prassolov, Masako Fushimi and Susumu Nishimura.
Transforming activity of the c-Ha-ras oncogene having two point mutations in codons 12 and 61
Jpn. J. Cancer Res. (Gann) 76, 851-855 (1985)
45. Kyoko Shibuya, Shigeru Noguchi, Mineo Yamaki, Susumu Nishimura, and Takao Sekiya.
Characterization of a rat tRNA gene cluster: comparison of nucleotide sequences of the gene for tRNA^{Aleu} newly found in repeating units
J. Biochem. 97, 1719-1725 (1985)
46. Katsuhiko Yoshimoto, Setsuo Hirohashi and Takao Sekiya.
Increased expression of the c-myc gene without gene amplification in human lung cancer and colon cancer cell line
Jpn. J. Cancer Res. (Gann) 77, 540-545 (1986)
47. Katsuhiko Yoshimoto, Masahiko Shiraishi, Setsuo Hirohashi, Shojiro Morinaga, Yukio Shimosato, Takashi Sugimura and Takao Sekiya.
Rearrangement of the c-myc gene in two giant cell carcinomas of the lung
Jpn. J. Cancer Res. (Gann) 77, 731-735 (1986)

48. Masao Kusano, Nam-Ho Choi, Motowo Tomita, Ken-ichi Yamamoto, Shunsuke Migita, Takao Sekiya and Susumu Nishimura.
Nucleotide sequence of cDNA and derived amino acid sequence of rabbit complement component C3 α -chain.
Immunological Investigations 15, 365-378 (1986)
49. Yuichi Hashimoto, Emiko Kawachi, Koichi Shudo and Takao Sekiya.
Activation of c-Ha-ras proto-oncogene by in vitro chemical modification with 2-amino-6-methyl-dipyrido [1, 2-a: 3', 2'-d] imidazole (Glu-P-1) and 4-nitroquinoline N-oxide (4NQO)
Nucl. Acids Res. Symposium Series 17, (1986)
50. Yuichi Hasimoto, Emiko Kawachi, Koichi Shudo, Takao Sekiya and Takashi Sugimura.
Transforming activity of human c-Ha-ras-1 proto-oncogene generated by the binding of 2-amino-6-methyldipyrido [1, 2-a: 3', 2'-d] imidazole and 4-nitroquinoline N-oxide: direct evidence of cellular transformation by chemically modified DNA
Jpn. J. Cancer Res. (Gann) 78, 211-215 (1987)
51. Susumu Nishimura and Takao Sekiya.
Human cancer and cellular oncogenes.
Biochem. J. 243, 313-327 (1987)
52. M. Katsuki, M. Yokoyama, M. Sato, S. Kimura, J. Hata, T. Sekiya, M. Izawa, and S. Nishimura.
Teratocarcinoma derived from mouse zygotes after the introduction of activated human c-Ha-ras DNA
Oncogenes and Cancer, eds. by S. A. Aaronson et al., Japan Sci. Soc. Press, Tokyo/VNU Sic. Press, Utrecht, PP. 269-276 (1987)
53. Hideki Kikuchi, Takao Sekiya, Susumu Nishimura and Minro Watanabe.
Rat repetitive sequence: consensus sequence of Taq I-298 base pairs fragment
Nucl. Acids Res. 19, 8107-8108 (1987)
54. Masahiko Shiraishi, Shojiro Morinaga, Masayuki Noguchi, Yukio Shimosato, and Takao Sekiya.
Loss of gene on the short arm of chromosome 11 in human lung carcinomas
Jpn. J. Cancer Res. (Gann) 78, 1302-1308 (1987)
55. Masahiko Shiraishi and Takao Sekiya.
Nucleotide sequence of the remaining allele of c-Ha-ras-1 in a human lung carcinoma having loss of heterozygosity at the HRAS1 locus
Proc. J. Acad. 64, 25-28 (1988)

56. K. Yoshimoto, H. Iwahana, Y. Yokogoshi, S. Saito, M. Shiraishi, M. M. Gottesman, and I. Pastan.
A polymorphic HindIII site within the human multidrug resistance gene 1 (MDR1)
Nucl. Acids. Res. 16, 11850 (1988)
57. Akihiko Gemma, Takashi Nakajima, Masayuki Noguchi, Masahiko Gotho, Takao Sekiya, Hisanobu Niitani and Yukio Shimosato.
Myc family gene abnormality in lung cancers and its relation to xenotransplantability
Cancer Res. 48, 6025-6028 (1988)
58. Masato Orita, Hiroyuki Iwahana, Hiroshi Kanazawa, Kenshi Hayashi, and Takao Sekiya.
Detection of polymorphisms of human DNA by gel electrophoresis as single strand conformation polymorphisms
Proc. Natl. Acad. Sci. USA. 86, 2766-2770 (1989)
59. Katsuhiko Yoshimoto, Masayoshi Iizuka, Hiroyuki Iwahana, Ryuichi Yamasaki, Shiro Saito and Takao Sekiya.
Loss of the Alleles of HRAS1 and D11S151 in Two Independent Pancreatic Cancer from a Patient with Multiple Endocrine Neoplasia Type 1
Cancer Res. 49, 2716-2721 (1989)
60. Masato Orita, Yoshinori Murakami, Kazuyuki Ishihara and Takao Sekiya.
Loss of heterozygosity at polymorphic chromosomal loci in patients with malignant Melanoma
J. Investigative Dermatology 92, 280S-283S (1989)
61. Kenshi Hayashi, Masato Orita, Youichi Suzuki and Takao Sekiya.
Use of labeled primers on polymerase chain reaction (LP-PCR) for a rapid detection of the product
Nucl. Acids. Res. 17, 3605 (1989)
62. Katsuhiko Yoshimoto, Ryuichi Yamasaki, Hideki Sakai, Uichiro Tezuka, Masanori Takahashi, Masayoshi Iizuka, Takao Sekiya and Shiro Saito.
Ectopic production of parathyroid hormone by small cell lung cancer in patient with hypercalcemia
J. Clinical Encorinology and Metabolism 68, 976-981 (1989)
63. Masato Orita, Youichi Suzuki, Takao Sekiya and Kenshi Hayashi.
Rapid and sensitive detection of point mutation and DNA Polymorphisms using the polymerase chain reaction
Genomics 5, 874-879 (1989)

64. Masahiko Shiraishi, Masayuki Noguchi, Yukio Shimosato and Takao Sekiya.
Amplification of protooncogenes in surgical specimens of human lung carcinomas
Cancer Res. 49, 6474-6479 (1989)
65. Masahiko Shiraishi and Takao Sekiya.
Change in methylation status of remaining allele in human lung cancers with loss of heterozygosity on chromosomes 3P and 13q
Jpn. J. Cancer Res. 80, 924-927 (1989)
66. Motoya Katsuki, Minoru Kimura, Jun-ichi Hata, Ri-ichi Takahashi, Shiari Nozawa, Minesuke Yokohama, Misuo Izawa, Takao Sekiya, Susumu Nishimura and Tatsuji Nomura.
Embryonal tumors transgenic mouse zygotes carrying activated c-Ha-ras gene
Mol. Biol. Med. 6, 567-572 (1989)
67. Hiroyuki Iwahana, Masato Orita, Hiroshi Kanazawa, Kenshi Hayashi and Takao Sekiya.
A new RFLP in intron 1 of the human c-Ha-ras-1 gene and its close relationship with the variable tandem repeats in the region 3' to the gene
Oncogene 5, 1049-1053 (1990)
68. Masayoshi Iizuka, Masahiko Shiraishi, Michihiro C. Yoshida, Kenshi Hayashi, and Takao Sekiya.
Joining of the c-myc gene and a LINE1 family member of chromosome 8 in a human primary giant cell carcinoma of the lung
Cancer. Res. 50, 3345-3350 (1990)
69. Youichi Suzuki, Masato Orita, Masahiko Shiraishi, Kenshi Hayashi and Takao Sekiya.
Detection of ras gene mutations in human lung cancers by single-strand conformation polymorphism analysis of polymerase chain reaction products
Oncogene 5, 1037-1043 (1990)
70. Atsuhiko Saitoh, Minoru Kimura, Ri-ichi Takahashi, Minesuke Yokohama, Tatsuji Nomura, Mitsuo Izawa, Takao Sekiya, Susumu Nishimura and Motoya Katsuki.
Most tumors in transgenic mice with human c-Ha-ras gene contained somatically activated transgenes
Oncogene 5, 1195-1200 (1990)
71. Masato Orita, Takao Sekiya and Kenshi Hayashi.
DNA Sequence polymorphisms in Alu Repeats
Genomics 8, 271-278 (1990)

72. Youichi Suzuki, Takao Sekiya and Kenshi Hayashi.
Allele-specific polymerase chain reaction: A method for amplification and sequence determination of a single component among a mixture of sequence variants
Analytical Biochemistry 192, 82-84 (1991)
73. Yoshinori Murakami, Masako Katahira, Reiko Makino, Kenshi Hayashi, Setsuo Hirohashi and Takao Sekiya.
Inactivation of the retinoblastoma gene in human lung carcinoma cell line detected by single-strand conformation polymorphism analysis of the polymerase chain reaction product of cDNA
Oncogene 6, 37-42 (1991)
74. Hideaki Kikuchi, Takao Sekiya, Sususum Nishimura and Minro Watanabe.
Repetitive sequences in the rat genome that have cleavage sites for the restriction endonuclease TaqI
Tohoku J. Exp. Med. 161, 91-99 (1990)
75. Kenshi Hayashi.
Mutation induced during the polymerase chain reaction
Technique 2, 216-217 (1990)
76. Yosuke Kishimoto, Yoshinori Murakami, Kenshi Hayashi, Shigeo Takahara, Takashi Sugimura and Takao Sekiya.
No mutations of the catalase gene in cancer patients
Proc. Japan Acad. 67B, 7-16 (1991)
77. M. Iizuka, M. Shiraishi, K. Hayashi and T. Sekiya.
Three RFLPs at the D8S586 locus
Nucl. Acids. Res. 19, 680 (1991)
78. Yoshinori Murakami, Kenshi Hayashi and Takao Sekiya.
Detection of aberrations of the p53 alleles and the gene transcript in human tumor cell lines by single-strand conformation polymorphism analysis
Cancer Res. 51, 3356-3361 (1991)
79. Shoji Mashiyama, Takao Sekiya and Kenshi Hayashi.
Screening of multiple DNA samples for detection of DNA sequence changes by the PCR-SSCP analysis
Technique 2, 304-306 (1991)

80. Reiko Makio, Takao Sekiya and Kenshi Hayashi.
Evaluation of quantitative detection of mRNA by the reverse transcription-polymerase chain reaction
Technique 2, 295-301 (1991)
81. Yoshinori Murakami, Kenshi Hayashi, Setsuo Hirohashi and Takao Sekiya.
Aberrations of the tumor suppressor and retinoblastoma genes in human hepatocellular carcinomas
Cancer Res. 51, 5520-5525 (1991)
82. Shoji Mashiyama, Yoshinori Murakami, Takashi Yoshimoto, Takao Sekiya and Kenshi Hayashi.
Detection of p53 gene mutations in human brain tumors by single-strand conformation polymorphism analysis of polymerase chain reaction products
Oncogene 6, 1313-1318 (1991)
83. Kenshi Hayashi
PCR-SSCP: A simple and sensitive method for detection of mutations in the genomic DNA
Cold Spring Harbor Laboratory Press 1, 34-38 (1991)
84. Yosuke Kishimoto, Yoshinori Murakami, Kenshi Hayashi, Shigeo Takahara, Takashi Sugimura and Takao Sekiya.
Detection of a common mutation of the catalase gene in Japanese actalasemic patients
Human Genetics 88, 487-490 (1992)
85. Masayoshi Iizuka, Kenshi Hayashi and Takao Sekiya.
Single strand conformation polymorphism (SSCP) at the D8S86 locus
Nucl. Acids Res. 19, 6346 (1991)
86. Yukishige Yamada, Teruhiko Yoshida, Kenshi Hayashi, Takao Sekiya, Jun Yasuda, Setsuo Hirohashi, Katsunori Nakatani, Hiroshige Nakano, Takeshi Sugimura and Masaaki Terada.
P53 gene mutations in gastric cancer metastases and in gastric cancer cell lines derived from metastases
Cancer Res. 51, 5800-5805 (1991)
87. Masayoshi Iizuka, Shoji Mashiyama, Mitsuo Oshimura, Takao Sekiya and Kenshi Hayashi
Cloning and polymerase chain reaction-single-strand conformation polymorphism analysis of anonymous Alu repeats on chromosome 11
Genomics 12, 139-146 (1992)

88. Tomi P. M_kel_, Masahiko Shiraishi, Mara G. Borrello, Takao Sekiya and Kari Alitalo.
Rearrangement and co-amplification of L-myc and rlf in primary lung cancer
Oncogene 7, 405-409 (1992)
89. Masako Katahira, Yoshinori Murakami, Kenshi Hayashi, Mizuo Kagawa
and Takao Sekiya.
Detection of aberrations of the p53 gene but not the RB gene in human brain tumors by
single-strand conformation polymorphism analysis of polymerase chain reaction products
Journal of Tokyo Women's Medical College 62, 206-213 (1992)
90. Masayoshi Iizuka, Takao Sekiya and Kenshi Hayashi.
Determination of flanking sequences of cloned (dG-dT)_n repeats using mixed primers
Techniques 3, 171-173 (1991)
91. Hikdburg Beier, Mimi C. Lee, Takao Sekiya, Yoshiyuki Kuchino,
and Susumu Nishimura
Two nucleotides next to the anticodon of cytoplasmic rat tRNA^{Asp} are likely generated by
RNA editing
Nucl. Acids. Res. 20, 2679-2683 (1992)
92. Yousuke Kishimoto, Yoshinori Murakami, Masahiko Shiraishi, Kenshi Hayashi,
and Takao Sekiya
Aberrations of the p53 tumor suppressor gene in human non-small cell carcinomas of the
lung
Cancer Research 52, 4799-4804 (1992)
93. Kenshi Hayashi.
PCR-SSCP: A Method for Detection of Mutations
GATA 9 (3), 73-79 (1992)
94. Reiko Makino, Hiromichi Yazyu, Yousuke Kishimoto, Takao Sekiya,
and Kenshi Hayashi.
F-SSCP: Fluorescence-based Polymerase Chain Reaction-Single-Strand Conformation
Polymorphism (PCR-SSCP) Analysis
PCR, Methods and Applications 2, 10-13 (1992)
95. Richard Sachse, Yoshinori Murakami, Masahiko Shiraishi, Kenshi Hayashi,
and Takao Sekiya.
Absence of Activating Mutations in the Transmembrane Domain of the c-erbB-2
Protooncogene in Human Lung Cancer
Jpn. J. Cancer Res. 83, 1299-1303 (1992)

96. Takao Sekiya.
Detection of Nucleotide Sequence Changes by Single-Strand Conformation Polymorphism Analysis
In Genome Research in Molecular Medicine and Virology (ed. by K. W. Adolph) p101-p113
(1993) Academic Press, Inc.
97. T. Sekiya, Y. Murakami and K. Hayashi.
Detection of DNA Aberrations in Human Cancers by Single-Strand Conformation Polymorphism Analysis of the Polymerase Chain Reaction
International Journal of Pancreatology 13, 69-70 (1993)
98. Kokichi Sugano, Akiko Kyogoku, Noriko Fukayama, Hisanao Ohkura, Yukio Shimosato, Takao Sekiya and Kenshi Hayashi.
Rapid and Simple Detection of c-Ki-ras2 Gene Codon 12 Mutations by Nonradioisotopic Single-Strand Conformation Polymorphism Analysis
Laboratory Investigation 68, 361-366 (1993)
99. Yoshinori Murakami, Youichi Suzuki, Yosuke Kishimoto, Setsuo Hirohashi, Kenshi Hayashi and Takao Sekiya.
Detection of DNA aberrations in human cancer by single-strand conformation polymorphism analysis of polymerase chain reaction products
Tohoku J. Exp. Med. 168, 247-255 (1992)
100. Takao Sekiya.
Detection of mutant sequences by single-strand conformation polymorphism analysis
Mutation Research 288, (1993)
101. Masahiro Tsutsumi, Yoshinori Murakami, Satoshi Kondho, Toshifumi Tsujiumi, Kanya, Hohnoki, Kohsuke Horiguchi, Osamu Onoguchi, Eisaku Kobayashi, Shunji Okita, Takao Sekiya and Yoichi Konishi.
Comparison of K-ras oncogene activation in pancreatic duct carcinomas and cholangiocarcinomas induced in hamsters by N-nitroso-bis(2-hydroxypropyl) amine
Jpn. J. Cancer Res. 84, 956-960 (1993)
102. Masayoshi Iizuka, Reiko Makino, Takao Sekiya and Kenshi Hayashi.
Selective isolation of highly polymorphic (dC-dA)_n : (dG-dT)_n microsatellites by stringently hybridization
Genetic analysis: technique and applications 10, 2-5 (1993)
103. Masayoshi Iizuka, Mitsuo Oshimura, Takao Sekiya and Kenshi Hayashi.
PCR based polymorphisms for D14S242, D14S246, D14S241, D14S244 and D14S245
Hum. Mol. Genet. 12, 1979 (1993)

104. Masayoshi Iizuka, Mitsuo Oshimura, Takao Sekiya and Kenshi Hayashi.
Dinucleotide repeat polymorphisms at D16D467, D16S468 and D5D560
Hum. Mol. Genet. 12, 1980 (1993)
105. Masayoshi Iizuka, Hisako Teshima, Takao Sekiya and Kenshi Hayashi.
Dinucleotide repeat polymorphism at the D19S386 locus
Hum. Mol. Genet. 12, 1981 (1993)
106. Richard Sachse, Yosinori Murakami, Masahiko Shiraishi, Kenshi Hayashi,
and Takao Sekiya.
DNA aberrations at the retinoblastoma gene locus in human squamous cell carcinomas of
the lung
Oncogene 9, 39-47 (1994)
107. Masayoshi Iizuka, Carol Jones, Kenshi Hayashi and Takao Sekiya.
Mapping of 28 (CA)_n microsatellite repeats and 13 Alu markers on human
chromosome 11 using a panel of somatic cell hybrids
Genomics 19, 581-584 (1994)
108. Yutaka Tokue, Kokichi Sugano, Daizo Saito, Takeshi No d a, Hisanao Ohkura,
Yukio Shimosato and Takao Sekiya.
Detection of novel mutations in the gyrA gene of staphylococcus aureus by
nonradioisotopic single-strand conformation polymorphism analysis and direct DNA
sequencing
Antimicrobial Agents and chemotherapy 38, 428-431 (1994)
109. Xue Zang, Hong-ji Xu, Yoshinori Murakami, Richard Sachse, Kazuo Yashima,
Setsuo Hirohashi, Shi-Xue-Hu, William F. Benedict and Takao Sekiya.
Detection of chromosome 13q, mutations in RB1 and RB protein state, in human
hepatocellular carcinoma
Int. J. Cancer 59, 43-47 (1994)
110. Kazuo Yashima, Shouji Nakamori, Yoshinori Murakami, Akio Yamaguchi,
Kenshi Hayashi, Osamu Ishikawa, Youichi Konishi and Takao Sekiya.
Mutations of the adenomatous polyposis coli gene in the mutation cluster region:
comparison of human pancreatic and colorectal cancers
Int. J. Cancer 59, 43-47 (1994)
111. Wataru Miwa, Jun Yasuda, Kazuo Yasima, Reiko Makino and Takao Sekiya.
Absence of activating mutations of the RAF1 protooncogene in human lung cancer
Biol. Chem. Hoeppe-Seyler 375, 705-709

112. Masayoshi Iizuka, Yuki Sugiyama, Carol Jones, Mitsuo Oshimura, Kenshi Hayashi, and Takao Sekiya.
Twelve simple repeat sequence polymorphisms on chromosomes 4, 11, 16 and 21
Hum. Mol. Genet. 3, 1707-1708 (1994)
113. Masahito Taniguchi, Show Watanabe, Kazuo Yashima, Yoshinori Murakami, Takao Sekiya and Shigeo Ikeda.
Aberrations of the tumor suppressor p53 gene and p53 protein in solar keratosis in human skin
J. Investative Dermatology 103, 500-503 (1994)
114. Reiko Makino, Kosuke Akiyama, Jun Yasuda, Shoji Mashiyama, Soichi Honda, Takao Sekiya and Kenshi Hayashi.
Cloning and characterization of a c-myc intron binding protein (MIBP1)
Nucl. Acids. Res. 22, 5679-5685 (1994)
115. Kokichi Sugano, Noriko Fukayama, Hisanao Ohkura, Yukio Shimosato, Yasushi Yamada, Tamotsu Inoue, Takao Sekiya and Kenshi Hayashi.
Single-strand conformation polymorphism analysis by perpendicular temperature-gradient gel electrophoresis
Electrophoresis 16, 6-10 (1995)
116. Shoji Nakamori, Kazuo Yashima, Yoshinori Murakami, Osamu Ishikawa, Hirosaki Oshigashi, Shingi Imaoka, Sadanori Yaegashi, Yoichi Konishi, and Takao Sekiya.
Association of p53 gene mutations with short survival in pancreatic adenocarcinoma
Jpn. J. Cancer Res. 86, 174-181 (1995)
117. Wataru Miwa, Kazuo Yashima, Teruaki Sekine and Takao Sekiya.
Demethylation of a repetitive DNA sequence in human cancer
Electrophoresis 16, 227-232 (1995)
118. Masahiko Shiraishi and Takao Sekiya
Mutations in an Alu repeated sequence associated with the DXS43 locus in human small cell lung cancers
Oncogene 10, 1453-1454 (1995)
119. Jun Yasuda, Shoji Mashiyama, Reiko Makino, Shigekazu Ohyama, Takao Sekiya, and Kenshi Hayashi.
Cloning and characterization of rat cellular nucleic acid binding protein (CNBP) cDNA
DNA Research 2, 45-49 (1995)

120. Masayoshi Iizuka, Yuki Sugiyama, Masahiko Shiraishi, Carol Jones and Takao Sekiya.
Allelic losses in human chromosome 11 in lung cancers
Chromosomes & Cancer 13, 40-46 (1995)
121. Machiko Kawamura, Akira Kikuchi, Shigetoshi Kobayashi, Ryoji Hanada,
Kenji Yamamoto, Keizou Horibe, Takaaki Shikano, Kazuhiro Ueda, Kenshi Hayashi,
Takao Sekiya and Yasuhide Hayashi.
Mutation of the p53 and ras genes in childhood t(1;19)-acute lymphoblastic leukemia
Blood 85, 2546-2552 (1995)
122. Masahiko Shiraishi, Leonard S. Lerman and Takao Sekiya.
Preferential isolation of DNA fragments associated with CpG islands
Proc. Natl. Acad. Sci. USA 92, 4229-4233 (1995)
123. Yukihiro Sonoda, Masayoshi Iizuka, Jun Yasuda, Reiko Makino, Tetsuya Ono, Takamasa
Kayama, Takashi Yoshimoto and Takao Sekiya.
Loss of heterozygosity at 11p15 in malignant glioma
Cancer Res. 55, 2166-2168 (1995)
124. Yoshinori Murakami, Arthur R. B. Hrothman, Robin J. Leach and Raymond L. White.
Suppression of malignant phenotype in a human prostate cancer cell line by fragments of
normal chromosomal region 17q
Cancer Res. 55, 3389-3394 (1995)
125. Sadanori Yaegashi, Richard Sachse, Noriaki Ohuchi, Shozo Mori and Takao Sekiya.
Low incidence of a nucleotide sequence alteration of the neurofibromatosis 2 gene in
human breast cancers
Jpn. J. Cancer Res. 86, 929-933 (1995)
126. Yukihiro Sonoda, Takashi Yoshimoto and Takao Sekiya.
Homozygous deletion of the MTS2/p16 and MTS2/p15 gene and amplification of the CDK4
gene in glioma
Oncogene 11, 2145-2149 (1995)
127. Tatsunori Shimizu and Takao Sekiya.
Loss of heterozygosity at 9p21 loci and mutations of the MTS1 and MTS2 genes in human
lung cancers
Int. J. Cancer 64, 616-620 (1995)
128. Yutaka Tokue, Kokichi Sugano, Takeshi Noda, Daizo Saito, Yukio Shimosato,
Hisanao Ohkura, Tadao Kakizoe and Takao Sekiya.
DNA gyrase gyr A gene mutations in ofloxacin-resistant Staphylococcus aureus
Int. J. Antimicrobial Agents 6, 123-126 (1995)

129. Kaname Kawajiri, Hidetaka Eguchi, Kei Nakachi, Takao Sekiya and Mitsunobu Yamamoto.
Association of CYP1A1 gene line polymorphisms with mutations of the p53 gene in lung cancer
Cancer Res. 56, 72-76 (1996)
130. Yutaka Tokue, Kokichi Sugano, Takeshi Noda, Daizo Saito, Yukiko Shimosato, Hisanao Ohkura, Tadao Kakizoe and Takao Sekiya.
Identification of mycobacteria by nonradioisotopic single-strand conformation polymorphism analysis
Diag. Microilo. Infect. Dis. 23, 129-133 (1995)
131. Tatsunori Shimizu, Wataru Miwa, Shoji Nakamori, Osamu Ishikawa, Yoichi Konishi, and Takao Sekiya.
Absence of mutation of the p21/WAF1 gene in human lung and pancreatic cancers
Jpn. J. Cancer Res. 87, 275-278 (1996)
132. Kokichi Sugano, Yuki Nakashima, Kenshei Yamaguchi, Noriko Fukayama, Takashi Yoshimoto and Takao Sekiya.
Sensitive detection of loss of hrtrrozygosity in the TP53 gene in pancreatic adenocarcinoma by fluorescence-based single-strand conformation polymorphism analysis using blunt-end DNA fragments
Genes. Chromosomes & Cancer 15, 157-164 (1996)
133. Yukihiro Sonoda, Yoshinori Murakami, Teiji Tominaga, Takamasa Kayama, Takashi Yoshimoto and Takao Sekiya.
Deletion mapping of chromosome 10 in human glioma
Jpn. J. Cancer Res. 87, 363-367 (1996)
134. Yoshinori S. Murakami, Hans Albertsen, Arthur R. Brothman, Robin J. Leach and Raymond L. White.
Suppression of the malignant phenotype of human prostate cancer cell line PPC-1 by introduction of normal fragments of human chromosome 10
Cancer Research 56, 2157-2160 (1996)
135. Jun Yasuda, M. Manuel Nbavarro, Eergei Malkhosyan, Antonia Velazquez, Rsosa Arribas, Takao Sekiya and Manuel Perucho.
Chromosomal assignment of human DNA fingerprint sequences by simultaneous hybridization to arbitrarily primed PCR products from human/rodent monochromosome cell hybrids
Genomics 34, 1-8 (1996)

136. Masahiko Shiraishi and Takao Sekiya.
Isolation of CpG island fragments: a putative promoter region of the human prostacyclin synthase gene
Proceeding of the Japan Academy 72, 101-103 (1996)
137. Masato Maekawa, Kokichi Sugano, Mineko Ushima, Taizo Masuda, Hisanao Ohkura, Tadao Kakizoe and Takao Sekiya.
Relative ratios of mRNA molecules encoded by genes with homologous sequences using fluorencene-based single-strand conformation polymorphism analysis
Biochem. Biophys. Res. Commun. 223, 520-525 (1996)
138. Wataru Miwa, Jun Yasuda, Yoshinori Murakami, Kazuo Yashima, Kokichi Sugano, Teruaki Sekine, Akira Kono, Shinichi Egawa, Ken Yamaguchi, Yoshihide Hayashizaki and Takao Sekiya
Isolation of DNA sequences amplified at chromosome 19q13.1-q13.2 including the AKT2 locus in human pancreatic cancer
Biochem. Biophys. Res. Commun. 225, 968-974 (1996)
139. Takao Sekiya.
Single-strand conformation polymorphism analysis
In Technologies for detection of DNA damage and mutations, edited by Gerd P. Pfeifer, Plenum Press, New York, 281-291 (1996)
140. Jun Yasuda, Hidefumi Kashiwabara, Keita Kawakami, Kazutsugu Uematsu, Kokichi Sugano, Manuel Perucho and Takao Sekiya.
Detection of microsatellite instability in cancers by arbitrarily primed-PCR
141. Masayoshi Iizuka, Yuki Sugiyama, Shigeru Iida and Takao Sekiya.
Direct sequencing of DNA fragments amplified with single primers by polymerase chain reaction without cloning
Anal. Biochem. 241, 136-139 (1996)
142. Kenji Tamura, Xue Zhang, Yoshinori Murakami, Setsuo Hirohashi, Hong-Ji Xu, Shi-Xue hu, William F. Benedict and Takao Sekiya.
Deletion of three distinct regions on chromosome 13q in human non-small cell lung cancer
Int. J. Cancer 74, 45-49 (1997)
143. Masahiko Shiraishi, Tina Alitalo and Takao Sekiya.
The chromosomal organization of the human endogenous retrovirus-like sequence HERV-H: Clustering of the HERV-H sequences in a 300-kb region close to the GRPR locus on the X chromosome
DNA Res. 3, 425-429 (1996)

144. Kazutsugu Uematsu, Jun Yasuda, Teruaki Sekine, Kokichi Sugano and Takao Sekiya.
A new T-lymphocyte cloning assay for detection of in vivo mutations in the human hypoxanthine-guanine phosphoribosyltransferase gene.
Environ. Mol. Mutag. 30, 31-39 (1997)
145. Kokichi Sugano, Masakazu Tsutsumi, Yuki Nakashima, Kensei Yamaguchi, Hisanao Ohkura, Tadao Kakizoe and Takao Sekiya.
Diagnosis of bladder cancer by analysis of the allelic loss of the p53 gene in urine samples using blunt-end single-strand conformation polymorphism
Int. J. Cancer 74, 403-406 (1997)
146. Yoshinori Murakami.
Genetic alterations in human pancreatic cancer
J. Hep. Bil. Pancr. Surg. 4, 283-290 (1997)
147. Hiroyuki Kon, Yukihiko Sonoda, Toshihiro Kumabe, Takashi Yoshimoto, Takao Sekiya, and Yoshinori Murakami.
Structural and functional evidence for the presence of tumor suppressor genes on the short arm of chromosome 10 in human gliomas
Oncogene 16, 257-263 (1998)
148. Yoshinori murakami and Takao Sekiya.
Accumulation of genetic alterations and their significance in each primary human cancer and cell line
Mut. Res. 400, 421-437 (1998)
149. George Kijima, Yoshinori Murakami, Noriaki Ouchi, Susumu Satomi, and Takao Sekiya.
Nonsense mutation at codon 63 of the BRCA1 gene in Japanese breast cancer patients
Jpn. J. Cancer Res. 89, 837-841 (1998)
150. Sergei Malkhosyan, Jun Yasuda, Jose Luis, Takao Sekiya, Jun Yokota, and Manuel Perucho.
Molecular karyotypng of metastatic colorectal cancer by unbiased DNA fingerprinting
Proc. Natl. Acad. Sci. USA. 95, 10170-10175 (1998)
151. Masato Maekawa, Kokichi Sugano, Hajime Sano, Satoshi Miyazaki, Mineko Ushiana, Shin Fujita, Takuji Gotoda, Toshihiro Yokota, Hisanao Ohkura, Tadao Kakizoe, and Takao Sekiya.
Increased expression of cyclooxygenase-2 to -1 in human colorectal cancers and adenomas, but not inhyperplastic polyps
Jpn. J. Oncol. 28, 421-426 (1998)

152. Yoshinori Murakami, Takahiro Nobukuni, Kenji Tamura, Tomoko Maruyama, Takao Sekiya, Yasuhito Arita, Hiroki Gomyou, Akira Tanigami, Misao Ohki, Dedorah Cabin, Pam Frischmeyer, piper Hunt, and Roger H. Reeves.
Localization of tumor suppressor activity important in nonsmall cell lung carcinoma on chromosome 11q
Proc. Natl. Acad. Sci. USA. 95, 8153-8158 (1998)
153. Keita Kawakami, Jun Yasuda, Takamasa Kayama, Katsuhiko Doi and Takao Sekiya.
Structures of primer-template hybrids in arbitrarily primed polymerase chain reaction
Genet. Anal. Biomol. Engineering 15, 5-8 (1999)
154. Keita Kawakami, Jun Yasuda, Masahiko Shiraishi, Takamasa Kayama, Katsuhiko Doi, Manuel Prrucho and Takao Sekiya.
Detection of DNA abnormalities by arbitrarily primed PCR fingerprinting Allelic losses in chromosome 10q in lung cancers
Biochem. Biophys. Res. Commun. 251, 153-157 (1998)
155. Masanori Shigyo, Kokichi Sugano, Noriko Fukuyama, Takahiro Taniguchi, Ken-ichi Tobisu, Hiroyuki Fujimoto, Naoto Doi, Kaname Niwakawa, Kayoko Shimamura, Taiji Tsukamoto, Takao Sekiya and Tadao Kakizoe.
Allelic loss on chromosome 9 in bladder cancer tissues and urine samples detected by blunt-end single-strand DNA conformation polymorphism
Int. J. Cancer 78, 425-429 (1998)
156. Masahiko Shiraishi, Azumi Sekiguchi, Ying H. Chuu and Takao Sekiya.
Alteration of mosaic methylation of the repeat unit of the human ribosomal RNA genes in lung cancer
Biol. Chem. 380, 81-84 (1999)
157. Masahiko Shiraishi, Adam J. Oates, Xu Li, Fumie Hosoda, Misao Ohki, Tiina Alitalo, Leonard S. Lerman and Takao Sekiya.
The isolation of CpG islands from human chromosomal regions 11q13 and Xp22 by segregation of partly melted molecules
Nucl. Acids. Res. 26, 5544-5550 (1998)
158. Toshiyuki. Saito, Akihiro Kaneko, Ykio Muramatsu, Motoko Inomata, Yoshinori Murakami, Shuran Den, Jun. Gotanda, Nobuko Yokokawa, Kazuaki Hiraga, Edwaward Carney, Per-Aune Lönnqvist and Christer Carlsson.
Difficult tracheal intubation in patients with retinoblastoma caused by 13q deficiently
Jpn. J. Clin. Oncol. 28, 507-510 (1998)

159. Machiko Kawamura, Hiroaki Ohnishi, Shu-Xia Guo, Xiao Ming Sheng, Masayoshi Minegishi, Ryoji Hamada, Keizo Horibe, Teruaki Hongo, Yasuhiko Kaneko, Fumio Bessho, Masayoshi Yanagisawa, Takao Sekiya and Yasuhide Hayashi.
Alterations of p53, p21, p16, p15 and RAS genes in childhood T-cell acute lymphoblastic leukemia
Leukemia Research 23, 115-126 (1999)
160. Masahiko Shiraishi, Ying H. Cheuu and Takao Sekiya.
Isolation of DNA fragments associated with methylated CpG islands in human adenocarcinomas of the lung using a methylated DNA binding column and denaturing gradient gel electrophoresis
Proc. Natl. Acad. Sci. USA. 96, 2913-2918 (1999)
161. Hideo Kuchiki, Jun Yasuda, Takamasa Kayama, Yoshinori Murakami, and Takao Sekiya.
Detection of DNA abnormalities by arbitrarily primed PCR fingerprinting Amplification of the MDM2 gene in a mediastinum fibrosarcoma
Biochem. Biophys. Res. Comm. 258, 271-277 (1999)
162. Masahiko Shiraishi, Azumi Sekiguchi, Ying H. Cheuu and Takao Sekiya.
Tight interactions between densely methylated DNA fragments and the Methyl-CpG binding domain of the rat protein MeCP2 attached to a solid support
Biol. Chem. 380, 1127-1131 (1999)
163. Hideo Kuchiki, Makoto Saino, Takahiro Nobukuni, Jun Yasuda, Tomoko Maruyama, Takamasa Kayama, Yoshinori Murakami and Takao Sekiya.
Detection of amplification of a chromosomal fragment at 6p21 including the cycline D3 gene in a glioblastoma cell line by arbnitrarily primed polymerase chain reaction
Int. J. Cancer 85, 113-116 (1999)
164. Makoto Asamoto, Takahiro Ochiya, Hiroyasu Toriyama-Baba, Tomonori Ota, Takao Sekiya, Masaaki Terada and Hiroyuki Tsuda.
Transgenic rats carrying human c-Ha-ras proto-oncogenes are highly susceptible to N-methyl-N-nitrosourea mammary carcinogenesis
Carcinogenesis 21, 243-249 (2000)
165. Yoichi Anami, Tomoyo Takeuchi, Kentaro Mase, Jun Yasuda, Setsuo Hirohashi, Manuel Perucho and Masayuki noguchi.
Amplotyping of microdissected, methanol-fixed lung carcinoma by arbitrarily primed polymerase chain reaction
Int. J. Cancer 89, 19-25 (2000)

166. Masayuki Kanamori, Hiroyuki Kon, Takahiro Nobukuni, Sachio Nomura, Kokichi Sugano, Shoji Mashiyama, Toshihiro Kumabe, Takashi Yoshimoto, Mark Meuth, Takao Sekiya and Yoshinori Murakami.
Microsatellite instability and the PTEN1 gene mutation in a subset of early onset gliomas carrying germline mutation or promoter methylation of the h MLH1 gene
Oncogene 19, 1564-1571 (2000)
167. Sachio Nomura, Kokichi Sugano, Hidefumi Kashiwabara, Takahiro Taniguchi, Noriko Fukuyama, Shin Fujita, Takayuki Akasu, Yoshihiro Moriya, Seiji Ohhigashi, Tadao Kakizoe and Takao Sekiya.
Enhanced detection of deleterious and other germline mutations of hMSH2 and hMLH1 in Japanese hereditary nonpolyposis colorectal cancer kindreds
Biochem. Biophys. Res. Commun. 271, 120-129 (2000)
168. Tomonori Ota, Makoto Asamoto, Hiroyasu Toriyama-Baba, Fumi Yamamoto, Yoichiro Matsuoka, Takahiro Ochiya, Takao Sekiya, Masaaki Terada, Hideyuki Akaza and Hiroyuki Tsuda.
Transgenic rats carrying copies of the human c-Ha-ras proto-oncogene exhibit enhanced susceptibility to N-butyl-N-(4-hydroxybutyl) nitrosamine bladder carcinogenesis
Carcinogenesis 21, 1391-1396 (2000)
169. Masami Kuramochi, Hiroshi Fukuhara, Takahiro Nobukuni, Takamasa Kanbe, Tomoko Maruyama, Hara P. Ghosh, Mathew Pletcher, Minoru Isomura, Masataka Onizuka, Tadaichi Kitamura, Takao Sekiya, Roger H. Reeves, and Yoshinori Murakami.
TSLC is a tumor-suppressor gene in human non-small-cell lung cancer
Nat. Genet. 27, 427-430 (2001)
170. Yoshinori Murakami, Hiroshi Uejima, Tomoko Maruyama, Mitsuo Oshimura, and Takao Sekiya
Construction of human-rodent hybrid cells containing single transferable fragments of human chromosome 10p
J. Hum. Genet 45, 370-373 (2000)
171. Takamasa Kanbe, Takahiro Nobukuni, Hironaka Kawasaki, Takao Sekiya, and Yoshinori Murakami
Related Articles four single-nucleotide polymorphisms in the human BUB1 gene
J. Hum. Genet 46, 150-151 (2001)

172. Hiroshi Fukuhara, Tomoko Maruyama, Mitsuo Oshimura, Tadashi Kitamura, Takao Sekiya and Yoshinori Murakami.
Functional evidence for the presence for tumor suppressor gene on chromosome 10p15 in human prostate cancers
Oncogene 20, 314-319 (2001)
173. Tsuda Hiroyuki, Makoto Asamoto, Takahiro Ochiya, Hiroyasu Toriyama-Baba, Akihiro Naito, Tomonori Ota, Takao Sekiya and Masaaki Terada.
High susceptibility of transgenic rats carrying the human c-Ha-ras proto-oncogene to chemically- induced mammary carcinogenesis
Mut. Res. 477, 173-182 (2001)
174. Fumiichiro Yamamoto, Miyako Yamamoto, Jose Luis Soto, Eijiro kojima, Emily N. Wang, Manuel Perucho, Takao Sekiya and Hiroyasu Yamanaka.
Not I-Methylation-sensitive amplified fragment length polymorphism for DNA methylation analysis
Electrophoresis 22, 1946-1956 (2001)
175. Masanori Shigyo, Kokichi Sugano, Ken-ich Tobisu, Taiji Tsukamoto, Takao Sekiya, and Tadao Kakizoe.
Molecular followup of newly diagnosed bladder cancer using urine samples
Urology 166, 1280-1285 (2001)
176. Masahiko Shiraishi, Azumi Sekiguchi, Adam J. Oates, Michael Terry, Yuji Miyamoto, and Takao Sekiya.
Heterogeneity in methylation status of genomic DNA fragments demonstrating similar elution profiles in methyl-CpG binding domain column chromatography
Proc. Japan Acad. 77, 208-211 (2001)
177. Takao Sekiya.
Methyl-CpG binding protein
Mol. Med. 5, 2069-2071 (2002)
178. Masahiko Shiraishi, Azumi Sekiguchi, Michael J Terry, Adam J Oates, Yuji Miyamoto, Ying H Chuu, Miyo Munakata and Takao Sekiya.
A comprehensive catalog of CpG island methylated in human lung adenocarcinomas for the identification of tumor suppressor genes
Oncogene 21, 3804-3813 (2002)
179. Masahiko Shiraishi, Adam J. Oates and Takao Sekiya.
An Overview of the Analysis of DNA Methylation in Mammalian Genomes
Biol. Chem. 383, 893-906 (2002)
180. Takao Sekiya
Highlight: Environmental Mutagenesis
Biol. Chem. 383, 871 (2002)

181. Masahiko Shiraishi, Azumi Sekiguchi, Adam J. Oates, Michael J. Terry, Yuji Miyamoto, Kumiko Tanaka, and Takao Sekiya.
Variable estimation of genomic DNA Methylation: a comparison of methyl-CpG binding domain column chromatography and bisulfite genomic sequencing
Anal. Biochem. 308, 182-185 (2002)
182. Shiro Koizume, Ken Tachibana, Takao Sekiya, Setsuo Hirohashi, and Masahiko Shiraishi
Heterogeneity in the modification and involvement of chromatin components of the CpG island of silenced human CDH1 gene in cancer cell
Nucl. Acids. Res. 30, 4770-4780 (2002)
183. Shiro Koizume, Takao Sekiya, and Masahiko Shiraishi
Specific Methylation status of the entire CpG Island not a prerequisite for the formation of an inactive chromatin at the promoter region in cancer cell
Biol. Pharm. Bull. 26 (1), 127-128 (2003)
184. Jun Yasuda, Hideki Yokoo, Tesshi Yamada, Issay Kitabayashi, Takao Sekiya, and Hitoshi Ichikawa
Nemo-like kinase suppresses a wide range of transcription factors, including nuclear factor- κ B
Cancer Sci. 95, 52-57 (2004)
185. Takao Sekiya
Nucleotide sequence changes in human genome: detection by single-strand conformation polymorphism analysis
Proceedings of the Japan Academy, Ser. B, 80, 92-102 (2004)